LIFTMODE 47 W. Polk St. STE 100-241 Chicago, IL 60605 liftmode@liftmode.com www.liftmode.com

CERTIFICATE OF ANALYSIS

Baicalein

(CAS 491-67-8; 5,6,7-Trihydroxyflavone)

Material Lot #: 20180121 Manufacture Date: 01/21/2018 Country of Origin: China Retesting Date: 07/02/2021

Analysis Claim Result

Baicalein ≥98% 98.7%

Test	Specification	Result
Botanical Name	Scutellaria baicalensis	Complies
Part used	Root	Complies
Appearance	Light yellow powder	Complies
Loss on Drying	≤5.0%	1.22%
Sulfated Ashes	≤0.1%	0.05%
Solvent Residue	≤500 ppm	Complies
Heavy Metals (μg/g)	≤10ppm	Complies
As	≤1ppm	Complies
Hg	≤0.1 ppm	Complies
Pb	≤1ppm	Complies
Cd	≤1ppm	Complies
Total Plate Count	≤1000 cfu/g	Complies
Mould and Yeast	≤100 cfu/g	Complies
Salmonella	Negative Result	Complies
E.coli	Negative Result	Complies

Conforms to Standard



812 Meadowlark Lane, Goodlettsville, TN 37072 Tel: 615-239-8604, Fax: 615-239-8605

Certificate of Analysis

Synaptent LLC 47 W. Polk ST, STE 100-241 Chicago, IL 60605

Product Name	Baicalein	Product Lot #	20180121
Report Date	07/03/2018	Lab#	10442

Description	Test Method	Results
Identification	1H-NMR	Conforms
Assay	HPLC	99.5%
Lead	ICP-MS USP<730>	0.009ppm
Arsenic	ICP-MS USP<730>	<0.001ppm
Cadmium	ICP-MS USP<730>	<0.002ppm
Mercury	ICP-MS USP<730>	<0.023ppm
Total Plate Count	BioLumix	<100 CFU/g
Yeast and Mold	BioLumix	<100 CFU/g
Salmonella	BioLumix	Negative
Coliform	BioLumix	<10 CFU/g
E. coli	BioLumix	Negative

Peter Yoho PhD

QA Auditor,

07/03/2018

Date

7/3/18